

This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims:**

1. (currently amended) A method for a recipient to receive an email having rights management (RM) protected content therein, the protected content being encrypted and decryptable according to a content key (KID), the content key (KD) being found in a corresponding license, the method comprising:

receiving the email while connectively coupled to a network through which the email may be obtained;

recognizing that the received email has the protected content therein; and

obtaining the license for the protected content of the email from an RM server while still connectively coupled to the network and in response to receiving the email and recognizing the protected content therein, such obtaining being performed in an automatic manner ~~without first receiving an explicit request to obtain the license,~~

whereby said recognizing and obtaining are performed in a manner transparent to a recipient of the email, and whereby the license is available to the recipient even when such recipient is not connectively coupled to the RM server by way of the network at a later time.

2. (canceled)

3. (original) The method of claim 1 wherein obtaining the license comprises:

placing a representation of the received email with the protected content therein into a queue;

retrieving the representation of the received email from the queue; and

requesting the license for the protected content of the retrieved email from the RM server.

4. (original) The method of claim 3 further comprising, if the RM server fails to respond to the request for the license:

noting the RM server in a bad server list;

wherein requesting the license comprises requesting such license for the protected content of the retrieved email from the RM server if the RM server is not noted on the bad server list.

5. (original) The method of claim 4 further comprising, if the RM server fails to respond to the request for the license:

placing the representation of the email back into the queue;

again requesting such license for the protected content of the retrieved email from the RM server if the RM server is not noted on the bad server list.

6. (original) The method of claim 4 further comprising removing the noted RM server from the bad server list after a period of time.

7. (currently amended) A method for a recipient to receive rights management (RM) protected content, the protected content being encrypted and decryptable according to a content key (KID), the content key (KID) being found in a corresponding license, the method comprising:

receiving the protected content while connectively coupled to a network through which the protected content may be obtained;

recognizing that the received protected content is in fact protected content; and

obtaining the license for the protected content from an RM server while still connectively coupled to the network and in response to receiving the protected content and recognizing the protected content as protected content, such obtaining being performed in an automatic manner ~~without first receiving an explicit request to obtain the license,~~

whereby said recognizing and obtaining are performed in a manner transparent to a recipient of the email, and whereby the license is available to the recipient even when such recipient is not connectively coupled to the RM server by way of the network at a later time.

8. (canceled)

9. (original) The method of claim 7 wherein obtaining the license comprises:  
placing a representation of the received protected content into a queue;  
retrieving the representation of the received protected content from the queue;  
and  
requesting the license for the protected content from the RM server.

10. (original) The method of claim 9 further comprising , if the RM server fails to respond to the request for the license:  
noting the RM server in a bad server list;  
wherein requesting the license comprises requesting such license for the protected content from the RM server if the RM server is not noted on the bad server list.

11. (original) The method of claim 10 further comprising, if the RM server fails to respond to the request for the license:  
placing the representation of the protected content back into the queue;  
again requesting such license for the protected content from the RM server if the RM server is not noted on the bad server list.

12. (original) The method of claim 10 further comprising removing the noted RM server from the bad server list after a period of time.

13. (currently amended) A tangible computer-readable storage medium having stored thereon computer-executable instructions for performing a method for a recipient to receive an email having rights management (RM) protected content therein, the protected content being encrypted and decryptable according to a content key (KID), the content key (KID) being found in a corresponding license, the method comprising:  
receiving the email while connectively coupled to a network through which the email may be obtained;  
recognizing that the received email has the protected content therein; and  
obtaining the license for the protected content of the email from an RM server while still connectively coupled to the network and in response to receiving the email and

recognizing the protected content therein, such obtaining being performed in an automatic manner ~~without first receiving an explicit request to obtain the license,~~

whereby said recognizing and obtaining are performed in a manner transparent to a recipient of the email, and whereby the license is available to the recipient even when such recipient is not connectively coupled to the RM server by way of the network at a later time.

14. (canceled)

15. (original) The medium of claim 13 wherein obtaining the license comprises:  
    placing a representation of the received email with the protected content therein into a queue;  
    retrieving the representation of the received email from the queue; and  
    requesting the license for the protected content of the retrieved email from the RM server.

16. (original) The medium of claim 15 wherein the method further comprises, if the RM server fails to respond to the request for the license:  
    noting the RM server in a bad server list;  
    wherein requesting the license comprises requesting such license for the protected content of the retrieved email from the RM server if the RM server is not noted on the bad server list.

17. (original) The medium of claim 16 wherein the method further comprises, if the RM server fails to respond to the request for the license:  
    placing the representation of the email back into the queue;  
    again requesting such license for the protected content of the retrieved email from the RM server if the RM server is not noted on the bad server list.

18. (original) The medium of claim 16 wherein the method further comprises removing the noted RM server from the bad server list after a period of time.

19. (currently amended) A tangible computer-readable storage medium having stored thereon computer-executable instructions for performing a method for a recipient to receive rights management (RM) protected content, the protected content being encrypted and decryptable according to a content key (KID), the content key (KID) being found in a corresponding license, the method comprising:

receiving the protected content while connectively coupled to a network through which the protected content may be obtained;

recognizing that the received protected content is in fact protected content; and

obtaining the license for the protected content from an RM server while still connectively coupled to the network and in response to receiving the protected content and recognizing the protected content as protected content, such obtaining being performed in an automatic manner ~~without first receiving an explicit request to obtain the license,~~

whereby said recognizing and obtaining are performed in a manner transparent to a recipient of the email, and whereby the license is available to the recipient even when such recipient is not connectively coupled to the RM server by way of the network at a later time.

20. (canceled)

21. (original) The medium of claim 19 wherein obtaining the license comprises:

placing a representation of the received protected content into a queue;

retrieving the representation of the received protected content from the queue;

and

requesting the license for the protected content from the RM server.

22. (original) The medium of claim 21 wherein the method further comprises, if the RM server fails to respond to the request for the license:

noting the RM server in a bad server list;

wherein requesting the license comprises requesting such license for the protected content from the RM server if the RM server is not noted on the bad server list.

23. (original) The medium of claim 22 wherein the method further comprises, if the RM server fails to respond to the request for the license:

placing the representation of the protected content back into the queue;  
again requesting such license for the protected content from the RM server if the RM server is not noted on the bad server list.

24. (original) The medium of claim 22 wherein the method further comprises removing the noted RM server from the bad server list after a period of time.